


NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




Breakpoint = 64

NARMS – EB 2000

Veterinary Isolates


Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)



NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




⬇ Breakpoint

NARMS – EB 2000

Veterinary Isolates


Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)



NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




⬇ Breakpoint

NARMS – EB 2000

Veterinary Isolates


Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)



NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




↓ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




↓ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




↓ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




↓ Breakpoint

NARMS – EB 2000

Veterinary Isolates


Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)



NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




⬇ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




↓ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




↓ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




⬇ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)




⬇ Breakpoint

NARMS – EB 2000

Veterinary Isolates

Fig. 29. Minimum Inhibitory Concentrations by Antimicrobial Agent Major Serotypes from Swine (Slaughter)



↓ Breakpoint